

December 31st 1875

Survey made for James Lucas Joseph Lucas John Scott and others was commenced 27th day of December 1875 and finished on the 28th Dec 1875 in sections 23, 24, 25 & 26 Town 7 North R. 1 west Perpetual section corner of sections 23, 24, 25 & 26 wit: Buck 18 in S 46° W - 57 Lk White Oak 3 in S 58° E - 45 Lk. Then ran east 1995 ch made corner wit: B. Oak 12 in N 29° E - 57 Lk B. Oak 10 in N 15° E - 78 Lk. Thence ran north (via 4° west) 60.00 ch made Lerp corner wit: Swamp Oak 28 in S 29° E - 32 Lk Burr Oak 12 in N 57° E - 32 Lk. Traced the sec line through between secs 23 & 24 Dist 7980 ch Ran the line between secs 25 & 26 from the sec cor South 2000 ch to a stake in the Swamp. The above named parties were present and consenting to the survey. Joseph Chastain and Stephen Young were sworn as Chain bearers and acted as such.

CICr_U13

CICr_U17

CICr_U18

CICr_V14

CICr_V17

W. H. Hurd
Monroe County Surveyor


Survey made for Mayfield and Whisman on the 15th day of March 1876 as follows to wit: Commencing at the East 1/4 mile post of section three (3) T. 7, S. R. 1, west. Thence North 4044 ch to the N.E. sec corner Thence west (via 34°) 4024 ch to the North 1/4 mile post Thence South (via 4°) 40.12 ch missed the corner to the west 17 Lk. Corrected back and established a corner 60 Rods and 5 Lk. North of the center corner of the section Took witnesses: Buck 28 in S 80° E - 53 Lk B. Walnut 10 in N 37° W - 32 Lk. Thence east on the line dividing the lands of the above named parties to the first line run on the east side of the section and made a corner at the average distance allowing 100 acres more or less on the north side and 60 acres more or less on the south side of the N.E. 1/4 of said section Took the following witnesses to the corner: Oak 12 in S 88° W - 42 Lk William Macnaman and Pleasant Mott sworn as Chain bearers.

W. H. Hurd
Monroe County Surveyor

+ October the 10th 1882 commenced at the N.E. corner of Section 26 T 7 R 1 W Ran S 86 $\frac{1}{2}$ W 41. Poles to the center of State road drove stake then commenced at the center of Section Twenty five Ran S 4 $^{\circ}$ E 124 Poles 10th and established corner witness Ash 1 inch S 89 $\frac{1}{2}$ W 15 $\frac{1}{2}$ the maple 9 N 8 $^{\circ}$ W 96 $\frac{1}{2}$ the Stone for Robt Galloway

John A. Mercer } flagman
 Mart Arney } chainmen
 Robt Galloway } plugmen sworn

M. H. Buskirk
 M. C. S.



+ Oct 11th 1882 commenced the Survey of Section 27 T 7 R 1 W and established corners as per plat and field notes accompanying

A } 114 Poles 12 $\frac{1}{2}$ the south of N.W. cor
 Poplar 4 S 43 $^{\circ}$ E 17 $\frac{1}{2}$ the
 Sassafras 3 S 31 $^{\circ}$ E 14 $\frac{1}{2}$ "

B } Half dist bet W $\frac{1}{2}$ m p & S.W. cor
 Had to set 4 Poles east of its proper place
 To get out of the creek
 Ash 3 N 19 $^{\circ}$ E 62 $\frac{1}{2}$ the
 Elm 3 S 19 $^{\circ}$ W 13 $\frac{1}{2}$ "

Then adjourned until Oct the 25th when the survey was continued

C } Center of Section
 Black walnut 6 S 65 $^{\circ}$ E 52 $\frac{1}{2}$ the
 Elm 6 N 21 $^{\circ}$ E 29 $\frac{1}{2}$ "

D } Half dist bet center & E $\frac{1}{2}$ m p
 Black walnut 6 N 62 $^{\circ}$ W 37 $\frac{1}{2}$ the
 Black walnut 4 S 63 $^{\circ}$ W 45 $\frac{1}{2}$ "

E } Half dist bet S $\frac{1}{2}$ m p & S.E. cor
 Elm 12 N 36 $\frac{1}{2}$ E 25 $\frac{1}{2}$ the
 Hackberry 16 S 27 $\frac{1}{2}$ E 34 $\frac{1}{2}$ "


F } 39 Poles 7 $\frac{1}{2}$ the north of (F)
 Birch 18 S 54 $\frac{1}{2}$ E 172 the

G } 78 Poles 14 $\frac{1}{2}$ the north of (F)
 Sugar 16 N 38 $^{\circ}$ W 46 $\frac{1}{2}$ the
 Birch 12 S 72 $^{\circ}$ W 40 $\frac{1}{2}$ "

H } 39 Poles 2 the north of S.E. cor
 Birch 16 S 74 $^{\circ}$ W 3 the
 maple 6 N 31 $^{\circ}$ E 12 $\frac{1}{2}$ "

373

Sec 26 T 7 R 1 W



Sept 1st 1882 Surveyed in
Section 26 T 7 R 1 W
and established corners as per
plat and field notes below

B { Corner 34 Poles 12 $\frac{1}{2}$ lks east of (A)
Black walnut 15' N 44° W 8 $\frac{1}{2}$ lks
Black walnut 8' N 48° E 24 $\frac{1}{2}$ lks

CICr_R17

CICr_S17

CICr_S19

C { Half dist bet N $\frac{1}{2}$ m p and center of Section
Huckberry 6 S 20° W 44 lks
Beech 24 S 67 $\frac{1}{2}$ ° W 42 "

CICr_S18

CICr_U17

CICr_U19

Half dist bet N.E. cor & 8 $\frac{1}{2}$ m p

Black oak 3 S 68° W 44 lks

Beech 6 N 32° W 32 $\frac{1}{2}$ lks

CICr_U18

The above was done by the consent of parties interested
John Howard & John A Young Sworn as chainmen
Joseph Lucas Sworn as flagman

M H Bunkirk

M. B. S.

Dec 31st 1883 X

Commenced at corner heretofore established
at the middle of the South line of fractional Section 18
Town 10 R 1 E Run S 86 $\frac{1}{2}$ ° W 80 Poles ran north of
corner 30 lks corrected back and established corner
at half distance witness Beech 18 S 35° W 16 Beech 15'
S 71° E 38 lks. Thence N 32 $\frac{1}{2}$ ° W 160 Poles ran
east of corner 24 lks. corrected and blazed the line
back.

Notice to the above Survey was served on the
parties but has got misplaced

Thomas McGinnis Chainmen
Joe Wadden Sworn

Thos J. Harr flagman Sworn

M H Bunkirk

M. B. S.

August 13th 1872

Surveyed for Mathew McPhetridge & S J Shaw the following lot of land situated in Section No 3 Township No 8 North of Range No One West of 2^d principal Meridian out lot No 127 commencing at the North West Corner of said lot at a Stone thence S 47° E 32 poles 12 1/2 links to a stone no witness Trees made thence N 85° E 39 poles 10 links to a stone no witness Trees made containing 8 Eight acres.

William M Sample }
 Samuel H Sample }

Alexander C Spencer
 Monroe County Surveyor

Chain Bearers by consent of parties.

Mathew McPhetridge & S J Shaw Flag Bearers

September 24th A D 1872

ran the following lines & made the following corners in Sections Nos 26 & 27 in Township No 7 North of Range No One West for A H Chambers David Deekard Calvin Young Sarah Linnient & others Beginning 40 poles East of the North West corner of Section 26 Town and Range aforesaid said corner established witness Trees 1/2 Oak 30 inches diameter S 48° E 78 links distant Sugar 20 inches diameter S 44° E 126 links distant then S 47 1/2° E 243 poles & 14 links witness Trees poplar 4 inches diameter S 80° E 18 links distant Gum 2 inches diameter S 85° E 33 links distant then S 85° E 80 poles to a stake witness Trees Beech 15 inches diameter N 45° E 23 lks dist Beech 15 inches diameter N 27° E 23 lks dist Corner made at the South East corner of the North West one fourth of the North West quarter witness Trees B. Oak 24 inches diameter S 14° E ~~22~~ 22 links B Ash 6 inches diam N 28° E 3 links thence West 80 poles to a stake witness Trees Red Oak 4 inches diam S 11° E 35 links dist Elm 24 in diam S 66 1/2° E 63 lks dist corner established at the South East corner of the North West one fourth of the North West quarter of Section No 26 witness Trees Beech 12 inches diameter S 35° E 25 lks dist Beech 12 inches diameter S 31 1/2° E 26 lks dist

A H Chambers } Chain Bearers
 Anthony Deekard } Sworn
 J M Richardson } Flag Bearer

Alexander C Spencer
 Monroe County Surveyor

100 poles & 5 links Witness Isaac S. Oak & inches in diam
 S 3° 34' 11 links S Oak 12 inches in diam N 69° 34'
 2 1/2 links dist. I have Buses & W. S. Walker & J. P. Vint
 J. H. Tallarpe by consent

I. S. Busbick M. C. Surveyor



October the 27th 1860

Ran the following line in Section 25
 Town 7 Range 1 West for James
 Samuel Rand & I. S. Busbick Trustees of
 the Mt. Tabor Groveyard commencing at
 the South West corner of the West
 1/2 of the North East 1/4 of Ran 35

West 7 poles & 15 links to a rock thence S 52° West 15 poles & 10 links
 to a rock thence S 15° East 7 poles & 15 links to a rock thence S
 East 11 poles & 13 links to the place of beginning

J. S. Adamson & W. S. Busbick Chan Buses by consent
 I. S. Busbick M. C. Surveyor

CI Cr_R21

CI Cr_S21

CI Cr_S22

CI Cr_T22

CI Cr_V22

CI Cr_W22

CI Cr_T23

CI Cr_U23

CI Cr_W23

October the 29th 30th 31st & November 1st
 Ran the following and made the following corners in
 Sections 26, 35 & 36 Town 7 Range 1 West for
 John Ready. Commenced at the Southern 1/2 Mile st

Corner A witness Beach 10 inches in diameter S 31° E 54 links distant Ran
 S 52° W 50 poles & 11 links to B witness Beach 10 inches in diameter S 41° E
 110 links distant Sweet Gum 24 inches in diameter S 35° E 110 links distant
 them S 32° W 135 poles & 16 links to the center of Salt Creek or C
 witness Elm 10 inches & Maple 10 inches with 3 notches in each they
 stand on the South Bank of said Creek the line passes between them
 then up Salt Creek with its meanders to the N. E. corner of the Redfield
 or Mill property to D. thence S 65° W 12 poles & 12 links to E witness Sycamore
 15 inches S 41° E 19 links distant thence S 42° W 20 poles & 1 witness Elm
 2 inches in diameter East 52 links thence S 75° E 38 poles & 2 links to G
 thence up said Creek about 12 poles to H thence S 73° W 52 poles & 1 link
 to I witness Sycamore 5 inches in diameter S 41° W 222 links distant
 Walnut 10 inches in diameter S 75° W 222 links distant thence S 41° E
 55 poles & 12 links to K witness Beach 8 inches S 42° W 71 links distant
 Beach 8 inches S 10° E 240 links thence S 55° W 80 poles to T witness
 Beach 8 inches S 75° E 107 links distant Beach 15 inches in diameter
 S 47° E 109 links distant thence S 41° W 79 poles & 17 links to A or the place
 of beginning then commenced at K Ran S 41° E 79 poles & 10 links to M
 witness Willow 4 inches in diameter S 47° E 57 links distant
 thence S 55° E 80 poles & 3 links to the Eastern 1/2 mile stake of
 Section 35 or to N witness Beach 25 inches in diameter S 50° E
 20 links distant Beach 25 inches in diameter S 42° E 113 links distant
 thence S 52° E 162 poles & 1 link to O witness Oak 6 inches in diameter
 S 41° W 176 links distant Oak 4 inches in diameter S 48° W 74 links
 distant thence S 45° W 79 poles & 16 links to P witness Dogwood
 8 inches in diameter S 35° W 20 links distant Sassafras 9 inches
 in diameter S 35° E 16 links distant thence S 82° W 87 poles & 20
 links to Q thence S 45° W 7 poles & 11 links to the Edge of Salt
 Creek at an ordinary stage of water thence down said Creek
 to H John Wallon & J. H. Jennings Chas. Baren sworn
 J. S. Buskirk M. C. Surverger

November the 17th 1860

Ran the following line and made the following
 corners in Section 22, T. 10. R. 1 E for J. J. Thompson
 commenced in the center of the Henderson County Road
 where the line splitting the Section North & South
 crosses said Road corner made witness Beach 15 inches
 in diameter S 70° W 40 links distant Beach 10 inches
 in diameter S 42° E 32 1/2 links distant thence S 45° W 16 poles
 corner made witness Hickory 8 inches in diameter S 52° E 6 3/5 links